

# **BUCK MOUNTAIN BOTANICALS, INC.**

Buck Mountain Botanicals is a certified organic grower and producer of veterinary botanical products for all creatures. Our products include wound treatments; sedatives; hepatic, renal and cardiac supports; expectorant and diaphoretic supports; glucosamine sulfate; antimicrobials; immune system supports; anthelmintics; anti-inflammatories; products for dermatitis; urinary tract irritation and neoplasene for tumors and warts.

We are conducting active research to establish the highest standards of quality, dosage information and clinical procedures.



# **2009**

## **WHOLESALE CATALOG**

**Veterinary medicine  
for all creatures**



**WE SUPPLY PRODUCTS  
TO VETERINARIANS,  
COMMERCIAL  
HERDSMEN  
& PET STORES**

**BUCK MOUNTAIN BOTANICALS, INC  
HC 30**

**Miles City, MT 59301**

**PHONE 406-232-1185**

**FAX 406-232-4491**

**buckmountainherbs@hotmail.com**

**WEBSITES: [BuckMountainBotanicals.net](http://BuckMountainBotanicals.net)  
[Neoplasene.net](http://Neoplasene.net)**

# From **BUCK MOUNTAIN BOTANICALS**

*Our highest in demand products. They deliver high efficacy for care of the most commonly presented ailments.*



**Buck Mountain Botanicals, Inc.**  
**406-232-1185**  
[www.buckmountainbotanicals.net](http://www.buckmountainbotanicals.net)

HC 30 • Miles City, MT 59301  
 FAX 406-232-4491  
[botanicals@charter.net](mailto:botanicals@charter.net)

## **NEOPLASM, PROUD FLESH & WARTS**

**Neoplasene** For topical and oral administration.

**NeoplaseneX** infusible with saline solution or injectable with methyl sulfoxide.

**IT IS A WONDER DRUG!**

## **EXTERNAL PARASITES**

**Parasite Dust** - non-mutagenic and nontoxic to warm-blooded mammals, fish and birds. It effectively disables then kills or repels flies, fleas, ticks, lice, mites, spiders, ants, moths, centipedes, beetles, and more.

**BETTER THAN ALL THE REST**

## **HEPATIC AND RENAL CARE**

**Milk Thistle** - use for hepatoprotection and detoxification, cell regeneration and as a potent antioxidant. Milk thistle almost always corrects liver problems and makes an otherwise harsh treatment protocol acceptable.

**IT IS A WONDER DRUG!**

## **MINOR WOUNDS AND SKIN IRRITATIONS**

**Wound Balm** - Buck Mountain Wound Balm for Animals contains echinacea root, burdock root and yarrow herb in an olive oil and beeswax base.

## **OPEN WOUNDS**

**Wound Aid** - is hemostatic, strongly antimicrobial, analgesic, anti-inflammatory and a cell proliferator.

## **KIDNEY FLUSH**

**Uva ursi** - used to treat and prevent urinary tract deposits, infections and incontinence.

## **CARDIOVASCULAR**

**Hawthorn** - dilates and relaxes blood vessels. Use for congestive heart failure, myocardial ischemia, hypertension and circulation problems.

## **SEDATION**

**Valerian** - use for separation anxiety, animals in transit, thunderstorm dogs, performance horses, show animals and all hyperactive creatures.

## **IMMUNE SYSTEM**

**Astragalus** - use for chemotherapy adjunct care, low platelet count and for potent elevation of the immune system.

## **JOINT HEALTH**

**Glucosamine Sulfate** - 90-98% bioavailable, inexpensive.

**SIMPLY THE BEST CHOICE**

## **HYPERTHYROID**

**Thyrolite** - binds thyrotropin and Graves TSI. It precludes receptor activation. It has 350 mg./ml. levo-carbimazole which is a thyroid inhibitor.

## **SEIZURES**

**Lepsilyte** - is a GABA enhancer and significantly lessens the frequency and severity of seizures. It is not toxic to the liver.



# Table of Contents:

	Page #		Page #
<b>Wound Care:</b>		<b>Urinary:</b>	
Wound Aid for Animals - Yarrow .....	1	Juniper for Animals - extract .....	7
Wound Balm for Animals -Echinacea/Yarrow/Burdock.....	1	Goldenseal for Animals - extract.....	4
Wound Wash for Animals - Aloe vera and Tea tree oil ...	4	Uva Ursi for Animals - extract .....	10
Comfrey for Animals - extract and powder .....	6		
<b>Anti-Inflammatory:</b>		<b>Anthelmintics:</b>	
Grindelia for Animals Elixir - extract .....	3	Black Walnut for Animals - extract and capsules.....	5
Licorice for Animals - extract .....	7	Wormwood for Animals - extract and capsules .....	9
Wound Aid for Animals -Yarrow .....	1	Aspidium for Animals - capsules.....	5
Chamomile for Animals - extract.....	6	Chamomile for Animals - extract.....	6
Comfrey for Animals - extract and powder .....	6	Parasite Dust for Animals - powder .....	8
<b>Pain and Anxiety:</b>		<b>Dermatitis:</b>	
Arnica Liniment for Animals - extract .....	2	Wound Balm for Animals-Echinacea/Yarrow/Burdock.....	1
Pulsatilla for Animals - extract .....	2	Wound Aid for Animals - Yarrow .....	1
Valerian for Animals - extract .....	2	Wound Wash for Animals - Aloe vera and Tea tree oil ...	4
Skullcap for Animals - extract .....	8	Burdock for Animals - extract .....	6
Passion Flower for Animals - extract .....	8	Juniper for Animals - extract .....	7
Chamomile for Animals - extract.....	6	Wormwood for Animals - extract.....	9
St. John's Wort for Animals - extract.....	10	Tea tree for Animals - oil.....	9
		Black Walnut for Animals - extract.....	5
		Goldenseal for Animals - extract.....	4
<b>Internal Organs and Systems:</b>		<b>Immune System Support:</b>	
Milk Thistle for Animals - capsules.....	3	Astragalus for Animals - extract .....	10
Hawthorn for the Heart - extract and capsules.....	3	Echinacea angustifolia - extract .....	4
Glucosamine Sulfate - capsules.....	4	Licorice for Animals - extract .....	7
Thyrolite liquid .....	10	Burdock for Animals - extract .....	6
Lepsilyte liquid.....	10	Goldenseal for Animals - extract.....	4
Bugleweed - extract .....	10		
Chasteberry - powder .....	7	<b>Tumors and Warts:</b>	
<b>Respiratory:</b>		Neoplasene Topical & Oral .....	9
Grindelia for Animals elixir - extract .....	3	Neoplasene Oral.....	9
Comfrey for Animals - extract .....	6	NeoplaseneX with methyl sulfoxide - injectable.....	9
Licorice for Animals - extract .....	7	NeoplaseneX with saline solution - infusable.....	9
<b>Antimicrobials:</b>		Black Walnut for Animals - extract and capsules.....	5
Echinacea angustifolia - extract .....	4	Burdock for Animals - extract .....	6
Goldenseal for Animals - extract.....	4		
Juniper for Animals - extract.....	7		
Burdock for Animals - extract .....	6		
Tea tree for Animals - oil.....	9		
Wound Wash for Animals - Aloe vera and Tea tree oil ...	4		
Lemon Balm for Animals - extract .....	10		
Neoplasene .....	9		

## **DISCLAIMER**

We did not invent botanical medicines and we do not recommend that the use of botanical medicines should be undertaken on the strength of our restatement of historical usage and documented research.

We do restate well documented traditional efficacy and the results of ongoing research. Personal experience is included where deemed appropriate.

Regardless of the merits of any plant medicine, side effects do sometimes occur. These may be real or imagined. Always seek the counsel and advice of qualified medical professionals and use caution with any medication, plant derived or otherwise.

We do not accept responsibility for the use or misuse of any product put forth or any information provided.

## **NOTES**

1. Oral dosages as given are for carnivores by body weight. It is advised to dose low initially and adjust upwards as the circumstances direct.
2. Do not scale up dosages for large herbivores by their weight! Large herbivores, such as cattle or horses, usually require approximately twice or three times the dosage of a 200 lb. carnivore.
3. Terrence S. Fox, Ph.D., the founder of Buck Mountain Botanicals, Inc. is a life member of United Plant Savers.
4. Dr. Fox is deeply involved in research and development of botanical medicine and their efficacy in veterinary practice.

# Product Narrative

by T .S. Fox, Ph.D.

**Wound Aid for Animals** is yarrow, *Achillea millefolium*, harvested in full bloom, dried and powdered. It is liberally applied to open bleeding, oozing or otherwise raw wounds. I have used it most on horses with moderately severe to gruesome wire cuts. I apply it by liberally sprinkling it on the open wound or throwing it on the wound if the horse is not cooperative or restrained. A large quantity will adhere to the wound. Yarrow is a hemostat -or blood stopper -it works best on lacerations. It does not impress me as a blood stopper on incisions or clipped nails. It does work effectively to stop oozing sutured incisions. It is anti-inflammatory, antimicrobial and accelerates wound healing with reduced formation of scar tissue.

Apply liberally to affected area twice daily.

Proud flesh has not developed on any of the horses I've treated with this product. In fact, where proud flesh has already existed, before treatment, the problem was resolved.

Contact dermatitis occasionally occurs with topical application of yarrow.

**Wound Balm for Animals** - This product is an emulsion of the extract of burdock root, echinacea root and yarrow herb in olive oil and beeswax. It is applied topically as needed.

Wound Balm for Animals is one of our most popular products due to its strong efficacy on ailments including:

- minor cuts
- closed wounds
- sunburn
- insect bites
- cold sores
- skin blemishes (acne)
- athletes foot
- cracked hands and feet
- chapped lips
- minor skin infections

Animals sometimes lick off this product. Powdered yarrow (e.g. Wound Aid for Animals) is very bad tasting and adheres well to Wound Balm for Animals. It is recommended that a thin layer of Wound Aid for Animals be applied to Wound Balm for Animals to counter licking.

Wound Balm for Animals is recommended to be applied twice daily. On large granular wounds a liberal application is more appropriate than a sparing application.

If an infection is not clean and dry an acceleration of the infection may occur when sealed with any salve.

**Arnica Liniment for Animals** - The liniment is made from *Arnica fulgens* which is native to southeastern Montana. Arnica is effective as a topical analgesic, anti-inflammatory and antimicrobial. Arnica is recommended and has a long history of use on:

- arthritis
- itchy hot spots
- contusions
- minor skin infections
- muscular aches and pains

Arnica liniment can be cut with glycerin to extend the product, thicken it and reduce waste.

Liniment is recommended to be applied liberally onto the target area every 4 to 6 hours as needed. At each application allow the liniment to evaporate and repeat three times.

The product is toxic when taken internally and stings when applied topically to raw flesh.

Contact dermatitis is sometimes noted. The liniment is for topical use only.

---

**Pulsatilla for Animals** - *Anemone pulsatilla* is a central nervous system depressant. The active pharmacological constituents are anemonin and protoanemonin both of which are sedatives. The protoanemonin component is very toxic. Protoanemonin is however both volatile and reactive. It is easily boiled off or broken down into anemonin.

Our product has a sufficiently decreased protoanemonin component that we routinely use the dosage recommended herein. There have been no reported side effects other than hangover from its use.

Two cc orally per hundred weight up to four times daily for carnivores is recommended to subdue pain. Four cc orally per hundred weight is recommended for an agitated thunderstorm or 4th of July dog.

Fifteen (15) cc usually will quiet a horse for the farrier.

This product should be used only by veterinarians or knowledgeable scientists as it is potentially dangerous if the protoanemonin constituent is not sufficiently reduced.

---

**Valerian for Animals** - *Valeriana sitchensis* is commonly named sitka valerian. It is the most potent of the valerian depressants and has long been used as a sleep aid and anxiety reducing agent for travel and separation.

Our product has found wide use post operation and post acupuncture as a means to provide a quiet convalescence for the animal. It is usually administered by the pet owner during after care. It is usually a good choice for traveling pets as a means to treat anxiety. Valerian and skullcap together is indicated for animals subject to seizures.

Valerian is attractive to cats and has found wide use to quiet performance horses. Some equine associations have banned it and test for it.

Two cc orally per 100 weight for carnivores is recommended. Use eight to twelve cc for large herbivores.

Occasional occurrence of reverse reaction is noted as well as occasional bad dreams and headaches.

It is GRAS (generally regarded as safe by the FDA as a food supplement).

**Milk Thistle for Animals** - Milk Thistle, silymarin, acts largely on the liver and kidneys. It is a wonder drug.

It is a well known protection against hepatotoxins. It has a long history of successful use:

- liver detoxification
- blood and immunomodulation
- lipid and biliary effects
- cirrhosis (but not in decompensated cirrhosis)
- hepatitis
- antioxidant
- cell regeneration

1 gram orally per 100 weight b.i.d. for carnivores is recommended. It tastes grainy and can be sprinkled on or mixed with food.

It is regarded as nontoxic (GRAS) with only occasional GI distress and allergic reaction.

---

**Hawthorn for the Heart** - Extract and capsules are available. The extract is made by alcohol and water extraction of the blossoms, leaves and twigs in the early spring. Capsules are produced from the haws which develop in late August and September.

Hawthorn has multiple high efficacy for cardiovascular ailments. It has beneficial effect in atherosclerosis, angina and ischemia. It dilates blood vessels and relaxes them resulting in lower blood pressure. Hawthorn is indicated for congestive heart failure.

Up to one gram orally per 100 weight daily for carnivores is recommended.

Side effects are rare however large doses may precipitate hypotension and sedation.

---

**Grindelia for Animals** - The elixir is the resin of *Grindelia squarrosa* extracted in ethyl alcohol. In my opinion Grindelia is the best cough suppressant and expectorant available in nature. It can be cut with syrup or water. I use up to eight parts light weight syrup (from canned fruit) to one part elixir. It is recommended as a treatment for respiratory infections.

It has found wide use as it is an antispasmodic, analgesic, anti-inflammatory, antimicrobial and stimulates mucous secretion. As such it is indicated for:

- cough
- sore throat
- congestion
- laryngitis
- topical treatment of poison ivy and poison oak.

I use four ozs. of the cut elixir for horses with acute or chronic cough or respiratory infection twice daily.

Use four cc per 100 weight for carnivores orally as needed, cut with water, syrup, juice or any palatable liquid is recommended. Use only a few drops for cats in oily food.

Large doses may cause profuse sweating (i.e. more than five cc of the uncut elixir per 100 weight).

**Echinacea** - Many commercially available tinctures of echinacea are diluted 2 to 4 times before retail packaging. It is normally composed of the root and/or the herb of *Echinacea purpurea*. Our product is not diluted and comprised of the root of *Echinacea angustifolia*. *Echinacea angustifolia* is, in my opinion, the Cadillac of all the echinaceas.

Echinacea is a booster of the immune system and is an antimicrobial. My opinion is that it performs best as an immune system booster and its efficacy as a cure is limited. I also believe that it is overrated as an oral antibiotic. There are others who disagree and claim it to be an effective oral antibiotic.

Side effects are minimal and rare.

---

**Goldenseal for Animals** - We grow our organic goldenseal. Goldenseal is used topically for minor infections and has long been used, diluted with distilled water, as an eyewash.

Use full strength topically and dilute with distilled water (i.e. 3 to 5 drops goldenseal extract per ounce of distilled water) as an eye wash. For use as a dermatitis rinse, dilute one ounce with a pint of water. Apply the rinse with a spritzer twice daily for dermatitis. Hold the hair out of the way and dampen the skin.

Orally one cc per 100 pounds weight is appropriate for urinary tract infections.

Goldenseal is contraindicated for cardiovascular conditions. It is also contraindicated during pregnancy.

**Wound Wash for Animals** - Whole leaf *Aloe vera* gel and Tea tree oil are put into solution with a benign surfactant.

Tea tree oil is antimicrobial and acts as a preservative for the *Aloe vera* gel. Shelf life of the wound management wash is unknown, but is substantial. Refrigeration is recommended.

This product is to be applied liberally as a wash and disinfectant for wounds and can be left on the wound to accelerate healing.

*Aloe vera* gel (whole leaf) and Tea tree oil are the active ingredients in this wash, neither are to be ingested. Both are associated with contact eczema and dermatitis and the use of this product should be discontinued if skin irritation develops.

This product is to be used sparingly on cats and other small creatures.

---

**Glucosamine Sulfate for Animals** - *Glucosamine sulfate* is the preferred form of glucosamine for providing cartilage repair material for osteoarthritis recovery.

Use two to three grams daily per 75 lbs. for osteoarthritis, reduce dose to 1 gram daily after 10 days. Use one heaping tablespoon daily for large herbivores.

Glucosamine sulfate has a mildly objectionable taste that may be masked with a good tasting carrier such as ground meat or grain.

Glucosamine is contraindicated for patients with diabetes.



**Aspidium for Animals -capsules** - This product is made from the root of *Dryopteris filix-mas*; known also as aspidium and male fern. The herb contains filicin and filmarone both of which are toxic to tapeworms and other parasites.

Therapeutic doses may be close to toxic levels. Therefore, milk thistle should be administered beginning one day before aspidium and continued for a few days post aspidium.

The powdered root is taken orally one gram per 12½ pounds body weight twice daily. A non-oily purgative aids discharge of stunned taenia. Avoid fatty foods and oils before and during treatment. Usually, two or three days are sufficient to expel all taenia.

It is best to start with a moderate dose and be careful to not overdose, as cardiac and/or respiratory failure may result from overdose.

---

**Black Walnut for Animals - extract** -

The unripe hulls are extracted in alcohol and water. Black Walnut is antimicrobial due to its content of juglone. It is effective on many skin disorders as well as being an efficacious vermifuge.

Black walnut extract is very effective topically on ringworm.

Juglone is considered toxic and caution is advised in the use of black walnut. It is recommended to start with a low dosage of 1 or 2 drops per 10 pounds weight and increase by 1 or 2 drops per day until parasites are expelled.

Simultaneous administration of the ground seed of milk thistle is advised at one 400 mg. -0- capsule per 50 pounds weight. Continue

milk thistle for at least one week after cessation of black walnut.

Black walnut is contraindicated during pregnancy and chronic G.I. disorders.

**AVOID USE ON HORSES!**

---

**Black Walnut for Animals - capsules**

The ground unripe hulls are encapsulated in 350 mg. -0- capsules. They are taken internally for parasites as well as a variety of skin disorders. Recent claims of efficacy as a treatment for heartworm have not been substantiated by clinical trials. However many veterinarians report success.

As a vermifuge one capsule for each 40 pounds of weight twice daily with food is recommended.

Simultaneous treatment with milk thistle for hepato-protection is advised. Use one 400 mg., capsule of the ground seed per 50 pounds weight.

Black walnut is contraindicated during pregnancy and chronic G.I. disorders.

**AVOID USE ON HORSES!**



**Burdock for Animals - extract** - Burdock is widely used as a food in Asia and I am increasingly seeing the fresh root in organic sections of supermarkets in the U.S.

Burdock is antimicrobial, antitumor, antipyretic, diuretic and diaphoretic. It is the most prominent active ingredient in our popular Wound Balm for Animals, see page 1. Burdock is the key ingredient in the well known Hoxsey formula.

Burdock is indicated for fever; fluid retention; dermatitis and many other microbial infections. Burdock is herpes active in-vivo and HIV 1 active in-vitro.

Dosage recommended is 0.5 cc per 50 pounds weight twice daily.

Contact dermatitis sometimes occurs. Burdock is generally considered a safe and edible plant.

---

### **Chamomile for Animals - extract**

Chamomile is antispasmodic; has sedative properties and is an anti-inflammatory. It is useful in the treatment of G.I. ailments. It is an anthelmintic vermifuge that is much less harsh than other botanical dewormers. Its efficacy can be amplified if combined with other botanical anthelmintics such as aspidium, wormwood, black walnut or garlic.

Dosage is generally one cc per 50 pounds weight and eight cc for large herbivores, twice daily. As an anthelmintic it is used alone or used one to one with other herbs. When used with aspidium, wormwood or black walnut it is recommended to simultaneously treat with 400 mg. capsules of ground milk thistle seed per 50 pounds weight for hepato-protection.

Chamomile is contraindicated during pregnancy as it is estrogen active and may be abortifacient. It should be avoided with anticoagulants especially warfarin.

---

### **Comfrey for Animals - extract and powder**

Comfrey is anti-inflammatory and a cell proliferator. It is useful for topical treatment of wounds, insect bites, nicks, scrapes, burns. It is a healing aid in contusions, sprains and fractures when applied directly to the closed wound as a poultice. Comfrey contains allantoin, a cell proliferator, and topical application may heal so fast as to trap infectious microbes. It is recommended that Wound Aid for Animals, a potent antimicrobial, be used with powdered comfrey herb on open wounds to disinfect.

Internally comfrey should be used with caution due to its alleged toxicity. Use one cc per 50 pounds weight twice daily, simultaneously with 400 mg. ground seed of milk thistle.

Comfrey contains pyrrolizidine alkaloids and may therefore be toxic.

Comfrey is contraindicated during pregnancy, lactation or with a pre-existing liver disorder.

The argument that comfrey is not safe for internal use is unconvincing since it is based on dosing rodents with high levels of purified pyrrolizidine alkaloids. The root is about two orders of magnitude higher in concentration of pyrrolizidine alkaloids than is the herb. Therefore hepatotoxicity likelihood resultant from herb extract is minimal. Unlikely or not it is advisable to simultaneously use milk thistle with comfrey extract to provide for hepato-protection. It is my opinion that comfrey has received an undeserved bad rap. Clinical trials are in order to separate fact from fiction and hysteria.

### **Chasteberry - powder, capsules** -

Chasteberry is effective in treating endocrine abnormalities such as Cushings disease and dermatosis. It is effective treating equine Cushings disease.

Chasteberry is estrogen active and has a pronounced effect on hormone balance. It contains hormone like substances that bind receptors and is therefore used in progesterone imbalance situations.

Caution should be exercised if the patient is pregnant.

Dosage for a horse is one teaspoon s.i.d. In general 5 to 50 mg. per 100 pounds weight daily are appropriate.

Chasteberry is a dopamine agent. Important adverse events have not been reported.

---

**Juniper for Animals - extract** - Juniper extract lowers blood glucose and increases insulin release. It is also anticoagulant and like hawthorn it relaxes blood vessels - see page 3. Juniper is antimicrobial and is efficacious in the treatment of urinary tract infections. Juniper is a diuretic. It accelerates kidney function.

Juniper is estrogen active, it has a vasodilatory action on the uterus.

Dosage is 0.5 cc per 50 pounds weight twice daily. Use eight cc for large herbivores.

Topically Juniper relieves pruritus as a dilute rinse.

Juniper is contraindicated during pregnancy, lactation or when preexisting kidney disorders are present.

Juniper should not be used continuously for more than two weeks.

---

**Licorice for Animals - extract** - Licorice is regarded as nature's cortisone. It has many of the same attributes as cortisone and presents few of the adverse side effects. Nonetheless, licorice is used as an anti-inflammatory, expectorant and is a counter irritant for G.I. and pulmonary tissues. Recent research has demonstrated detoxification properties similar to silymarin due to its content of glycyrrhizin.

Licorice is antiallergenic and is effective topically on many skin infections.

Dosage recommended is one cc per 50 pounds weight t.i.d. daily for carnivores. Use eight cc twice daily for large herbivores. It is advisable to use in conjunction with a diuretic.

Overdose for an extended period of time may cause paralysis.

Licorice is contraindicated during pregnancy.



### **Parasite Dust for Animals - powder -**

The compound is formulated from *Azadirachta indica*, *Achillea millefolium* and diatom flour.

It acts in four ways to rid animals, garden and buildings of flies, fleas, lice, ticks, mites, spiders, beetles, ants and more. The neem tree contains a chemical, azadirachtin. It is an active insecticide, a repellent and a potent-antifeedant and ecdysis inhibitory compound.

Neem herb has found broad use as a wound healing agent and has reported antimicrobial properties. Yarrow is a repellent to many parasites and diatom flour desiccates many insects. See page 1 for a more detailed discussion of the medicinal properties of yarrow.

The combination of these processed herbs is a very effective external parasite dust which also presents disinfectant and healing properties to lesions and other irritations secondary to infestation.

The dust rids mammals of parasites and a teaspoon or two on your window sash or sill eliminates flies, beetles and other bugs in home or office very effectively. It is safe for use in your garden as well.

The manner of application which has yielded success is to sprinkle the dust from head to tail along the spine and brush against the hair to bring the dust into contact with the skin. This should be done under dry conditions. One to two ounces is enough to dust a large herbivore (e.g. a horse). The dust should cover the saddle to midlateral.

Even engorged ticks have disappeared by the next day post dusting. The ingredients singly are nonmutagenic and nontoxic to mammals, fish and birds. It is expected that in compound they also are harmless in the form and concentration in this product.

### **Passion Flower for Animals - extract**

- *Passiflora incarnata* is a depressant. It is useful as an anxiety reducer and sleep aid. It is indicated for cardiac rhythm abnormalities, pain, hypertension and insomnia. It is mildly antimicrobial but loses efficacy rapidly after preparation. It is estrogen active.

Three to eight cc per 100 pounds, up to five times daily is recommended.

Passion flower is contraindicated during pregnancy.

---

### **Skullcap for Animals - extract -**

*Scutellaria laterifolia* has not been recognized, by the scientific community, as having therapeutic value. However, this information predates much more recent, prolific work done on Baical skullcap (i.e. *Scutellaria baicalensis*). These plants have similar chemistries and efficacy. It is clear earlier research work was narrow and lacked depth.

Skullcap (i.e. scut) is an effective central nervous system depressant. It has found utility as an antispasmodic, especially epileptic seizures. Scut is an anxiety reducing agent and a sleep aid. It is used generally for hyperactivity in small mammals.

Dosages are three to eight cc twice daily per 100 pounds of weight. Use 0.5 to 1.5 oz. for large herbivores.

There is an estrogen activity reported in humans, therefore, scut is contraindicated in pregnancy.

**Tea Tree for Animals - oil** - *Melaleuca alternifolia*, tea tree oil, is a strong antimicrobial. It is effective for fungal and bacterial infections. It consists of terpin-4-ol, half or more.

I have used tea tree oil on the hoofs of my horses when abscess was present very effectively. It is indicated for hoof rot.

A very thin coating of tea tree oil topically on the desired area twice daily has been sufficient by my experience. It is useful on many infections.

Allergic contact eczema sometimes occurs.

Tea tree oil should not be ingested.

---

**Wormwood for animals - extract and capsule** - *Artemisia absinthium* is a well known anthelmintic, especially effective on roundworms. Hepatic and renal protection is indicated for extended periods of time on high dosage deworming. Wormwood is an effective rinse for many skin infections.

The content of lactones and particularly alpha- and beta-thujone are the main anthelmintic chemicals. Hepato-protection with milk thistle is recommended simultaneous with administration of wormwood.

Dosage is one half cc twice daily for the extract or two 250 mg. -0- capsules twice daily per 50 pounds weight. Use four grams for large herbivores.

Wormwood is contraindicated with preexisting hepatic, renal, or central nervous system disorders.

**Neoplasene Compounds** - Buck Mountain Neoplasene is formulated from bloodroot extract, halogens and water. It is administered topically and orally.

Neoplasene is red when formulated and turns black, or near black, with age. It is used topically on sarcoids, carcinomas and other malignant or viral tissue. It works well on proud flesh. It should be taken post treatment orally.

It should be applied directly on tumorous growths. The lectins in the medicine react with the particular polysaccharides in the neoplastic cell membrane of microbes, neoplasm and proud flesh, but not the healthy cell, to penetrate the cell and cause apoptosis. This medicine is also administered orally and by injection.

It is injected in a methyl sulfoxide base to good advantage. Contact Buck Mountain for more information.

This product is contraindicated during pregnancy.

Prolonged contact with healthy tissue is to be avoided.

This product is for veterinarian's use only.

A clinical guide is available describing detailed topical, injection and oral protocol.

### **Astragalus for Animals - extract** -

Astragalus root is an immune system stimulant. It has found wide use post chemotherapy to counter immune suppression.

Dosage is one cc per 50 pounds weight three times daily. Use eight cc three times daily for large herbivores.

Astragalus is regarded as safe.

---

### **Lemon Balm for Animals - extract** -

Lemon Balm is a mild sedative and analgesic. It has antiviral activity: herpes simplex virus (HSV), HIV-1 and a variety of other viruses.

Dosage is one cc per 50 lbs weight three times daily. Use eight cc three times daily for large herbivores.

Lemon Balm extract is a pleasant smelling and tasty extract. It is a fine flavor addition to tea or fish.

There are no contraindications or interactions documented.

---

### **St. John's Wort for Animals - extract-**

St. John's Wort has antimicrobial and antidepressant effects. It is a mild sedative.

Dosage is one cc per 50 lbs. weight three times daily. Use eight cc three times daily for large herbivores.

There are many interactions between St. John's Wort and other drugs. Its use concurrent with other drugs is discouraged.

Side effects are minimal and usually less than experienced with other antidepressants.

Avoid use during pregnancy.

---

### **Uva Ursi for Animals - extract** -

Uva Ursi is a diuretic, antimicrobial and has found wide anecdotal efficacy in controlling involuntary bladder voiding.

Dosage is one cc per 50 lb. weight up to three times daily. Use eight cc three times daily for large herbivores.

Large dosages may result in nausea, vomiting and collapse.

Avoid use during pregnancy and lactation.

---

### **Lepsilyte - liquid** -

Lepsilyte is formulated from our extracts of skullcap and valerian. It significantly reduces the frequency and severity of seizures.

Dosage recommendation is one ml. per forty pounds weight s.i.d. to q.i.d. depending upon the severity of the affliction.

Estrogen activity in humans has been reported for one of the ingredients (i.e. skullcap). Therefore caution is advised for use during pregnancy.

---

### **Bugleweed - extract** -

Hyperthyroid support. Bugleweed binds thyrotropin and Graves thyroid stimulating immunoglobulin (TSI) and precludes receptor activation. It is for mild hyperthyroid conditions.

Recommended dosage for cats is three to eight drops b.i.d for mild hyperthyroid conditions.

Adverse effect may occur with overdose or sudden cessation of treatment.

---

### **Thyrolite - liquid**

Thyrolite contains bugleweed extract, lemon balm extract and levo-carnitine. It is administered for hyperthyroid conditions. Both bugleweed and lemon balm extract bind thyrotropin and TSI and preclude receptor activation. Levo-carnitine is a thyroid inhibitor.

Recommended dosage is three to ten drops s.i.d. or b.i.d. as necessary.

Avoid overdose and sudden cessation of treatment.

BUCK MOUNTAIN BOTANICALS, INC.  
ORDER FORM

Montana Corporate Headquarters:

Buck Mountain Botanicals, Inc.

HC 30

Miles City, MT 59301

Phone: 406-232-1185 Fax: 406-232-4491

Email: [buckmountainherbs@hotmail.com](mailto:buckmountainherbs@hotmail.com)

SHIPPING & HANDLING			
All Products Except Bulk Extracts		Bulk Extracts (8 oz. Bottles)	
		<u>Quantity</u>	
Up to \$10.00	\$ 6.00	1 bottle	\$15
\$10.01 to \$25.00	\$ 7.00	2 bottles	\$22
\$25.01 to \$45.00	\$ 8.00	3 bottles	\$34
\$45.01 to \$65.00	\$11.00	4 bottles	\$40
\$65.01 to \$90.00	\$14.00	5 bottles	\$44
\$90.01 to \$125.00	\$17.00	6 bottles	\$48
\$125.01 to \$250.00	\$21.00	7 bottles	\$52
\$250.01 to \$495.00	\$32.00	8 bottles	\$56
\$495.01 & over	8%	9 bottles & over	\$7/ea.

Address:

Date: \_\_\_\_\_

Order \_\_\_\_\_ Invoice \_\_\_\_\_

PAYMENT METHOD:

CHECK	CASH	AMERICAN EXPRESS (15 DIGITS)

MASTER CARD (16 DIGITS)      VISA (13 OR 16 DIGITS)

CREDIT CARD ACCOUNT NUMBER:

[illegible]

Expiration date: \_\_\_\_\_ Signature of Buyer: \_\_\_\_\_

Item Number (From Product Lists)	Description	Lot Number (For office use only)	Quantity	Price	Extended Price for:	
					-1- All other products	-2- Bulk Extracts
<p>All sales are F.O.B. Miles City, MT</p> <p>Medicines may not be returned. All sales are final.</p> <p>*Discount or credit, if any, does not apply to shipping and handling charges.</p> <p>International pricing and fees may differ.</p> <p>Shipping and handling on nonstandard items may differ.</p>				Merchandise Subtotal		
				Shipping & Handling		
				Discount or Credit*		
				Subtotals		
				Order Total		

# BUCK MOUNTAIN HERBAL GOLD PRODUCT LIST

CERTIFIED ORGANIC BY THE U.S. DEPARTMENT OF AGRICULTURE & MONTANA DEPARTMENT OF AGRICULTURE

Item #	Description		Item	
ARN8	Arnica Liniment for Animals		8 oz. Liniment	
ASPC01	Aspidium for Animals	500 mg capsules	55 “00” Capsules	
ASP12	Aspidium for Animals		12/case	
AST01	Astragalus for Animals		1 oz. Extract	
AST12	Astragalus for Animals		12/case	
AST8	Astragalus for Animals		8 oz. Extract	
AST812	Astragalus for Animals		12/case	
BW01	Black Walnut for Animals		1 oz. Extract	
BW12	Black Walnut for Animals		12/case	
BW8	Black Walnut for Animals		8 oz. Extract	
BW812	Black Walnut for Animals		12/case	
BWC01	Black Walnut for Animals	350 mg capsules	55 “00” Capsules	
BWC12	Black Walnut for Animals		12/case	
BUG01	Hyperthyroid Support		1 oz. Extract	
BUG12	Hyperthyroid Support		12/case	
BUG8	Hyperthyroid Support		8 oz. Extract	
BUG812	Hyperthyroid Support		12/case	
BUR01	Burdock for Animals		1 oz. Extract	
BUR12	Burdock for Animals		12/case	
BUR8	Burdock for Animals		8 oz. Extract	
BUR812	Burdock for Animals		12/case	
CH01	Chamomile for Animals		1 oz. Extract	
CH12	Chamomile for Animals		12/case	
CH8	Chamomile for Animals		8 oz. Extract	
CH812	Chamomile for Animals		12/case	
CBC01	Chasteberry for Animals		75 “0” Capsules	
CBC12	Chasteberry for Animals		12/case	
CBLB	Chasteberry for Animals		1 pound powder	
CBLB12	Chasteberry for Animals		1#/12	
COM01	Comfrey for Animals		1 oz. Extract	
COM12	Comfrey for Animals		12/case	
COM8	Comfrey for Animals		8 oz. Extract	
COM812	Comfrey for Animals		12/case	
COMP01	Comfrey for Animals		100 cc. Powder	
ECH01	Echinacea angustifolia		1 oz. Extract	
ECH12	Echinacea for Animals		12/case	
ECH8	Echinacea angustifolia		8 oz. Extract	
ECH812	Echinacea angustifolia		12/case	
GS01	Glucosamine Sulfate	1000 mg capsules	55 “00” Capsules	
GS12	Glucosamine Sulfate		12/case	
GSLB	Glucosamine Sulfate		1 pound powder	
GSLB12	Glucosamine Sulfate		1#/12	
GSLBK	Glucosamine Sulfate		500 Capsules	
GOL01	Goldenseal for Animals		1 oz. Extract	
GOL12	Goldenseal for Animals		12/case	
GOL8	Goldenseal for Animals		8 oz. Extract	
GOL812	Goldenseal for Animals		12/case	
GR02	Grindelia for Animals		2 oz. Extract	



# BUCK MOUNTAIN HERBAL GOLD PRODUCT LIST

CERTIFIED ORGANIC BY THE U.S. DEPARTMENT OF AGRICULTURE & MONTANA DEPARTMENT OF AGRICULTURE


Item #	Description		Item	
GR12	Grindelia for Animals		12/case	
GR8	Grindelia for Animals		8 oz. Extract	
GR812	Grindelia for Animals		12/case	
HAW01	Hawthorn for the Heart		1 oz. Extract	
HAW12	Hawthorn for the Heart		12/case	
HAW8	Hawthorn for the Heart		8 oz. Extract	
HAW812	Hawthorn for the Heart		12/case	
HAWC01	Hawthorn for the Heart	400 mg capsules dried fruit	75 “0” Capsules	
HAWC12	Hawthorn for the Heart		12/case	
HAWLB	Hawthorn for the Heart		1 pound	
HAWLB12	Hawthorn for the Heart		1#/12	
HAWBLK	Hawthorn for the Heart		1000 Capsules	
JUN01	Juniper for Animals		1 oz. Extract	
JUN8	Juniper for Animals		8 oz. Extract	
LEM01	Lemon Balm for Animals		1 oz. Extract	
LEM12	Lemon Balm for Animals		12/case	
LEM8	Lemon Balm for Animals		8 oz. Extract	
LEM812	Lemon Balm for Animals		12/case	
LEP04	Lepsilyte		4 oz.	
LEP412	Lepsilyte		12/4/case	
LEP8	Lepsilyte		8 oz. Extract	
LEP812	Lepsilyte		12/8/case	
LIC01	Licorice for Animals		1 oz. Extract	
LIC12	Licorice for Animals		12/case	
LIC8	Licorice for Animals		8 oz. Extract	
LIC812	Licorice for Animals		12/case	
MT01	Milk Thistle for Animals	400 mg capsules	75 “0” Capsules	
MT12	Milk Thistle for Animals		12/case	
MTLB	Milk Thistle for Animals		1 pound seed	
MTLB12	Milk Thistle for Animals		12/case	
MTBLKLB	Milk Thistle for Animals		1# Capsules	
MTBLKLB12	Milk Thistle for Animals		12/case	
MTBLKC	Milk Thistle for Animals		1000 Capsules	
MTBLKC12	Milk Thistle for Animals		12/case	
NEO100	Neoplasene a/k/a Sarcoma #1		3.5 oz. Salve	
NEO10012	Neoplasene		12/case	
NEO600	Neoplasene a/k/a/ Sarcoma #1		600 ml. salve	
NEO300	Neoplasene oral		250cc/300mg/cc	
NEO30012	Neoplasene oral		12/case	
NEO75	Neoplasene oral		250cc/75mg/cc	
NEO7512	Neoplasene Oral		12/case	
NEXMS	NeoplaseneX with methyl sulfoxide		50cc/250mg/ml.	
NEXSS	NeoplaseneX with saline solution		50cc/450mg/ml.	
PD03	Parasite Dust for Animals	Neem Diatom and Yarrow	3 oz. Powder	
PD312	Parasite Dust for Animals		12/case - 3 oz.	
PD08	Parasite Dust for Animals		8 oz. Powder	
PD812	Parasite Dust for Animals		12/case - 8 oz.	
PDBLK	Parasite Dust for animals		10# Bulk	
PF01	Passion Flower for Animals		1 oz. Extract	

# BUCK MOUNTAIN HERBAL GOLD PRODUCT LIST

CERTIFIED ORGANIC BY THE U.S. DEPARTMENT OF AGRICULTURE & MONTANA DEPARTMENT OF AGRICULTURE

Item #	Description	Item	
PF12	Passion Flower for Animals	12/case	
PF8	Passion Flower for Animals	8 oz. Extract	
PF812	Passion Flower	12/case	
PUL01	Pulsatilla for Animals	1 oz. liquid	
PUL12	Pulsatilla for Animals	12/case	
PUL8	Pulsatilla for Animals	8 oz. Extract	
PUL812	Pulsatilla for Animals	12/case	
SK01	Skullcap for Animals	1 oz. Extract	
SK12	Skullcap for Animals	12/case	
SK8	Skullcap for Animals	8 oz. Extract	
SK812	Skullcap for Animals	12/case	
SJW01	St. John's Wort for Animals	1 oz. Extract	
SJW8	St. John's Wort for Animals	8 oz. Extract	
SJW812	St. John's Wort for Animals	12/case	
TT01	Tea tree for Animals	1 oz. Oil	
TT12	Tea tree for Animals	12/case - 1 oz.	
TT8	Tea tree Oil	8 oz. Essential oil	
TT812	Tea tree Oil	12/case	
THY01	Thyrolite	1 oz. liquid	
THY12	Thyrolite	12/case	
THY8	Thyrolite	8 oz. liquid	
THY812	Thyrolite	12/case	
UVA01	Uva Ursi for Animals	1 oz. Extract	
UVA12	Uva Ursi for Animals	12/case	
UVA8	Uva Ursi for Animals	8 oz. Extract	
UVA812	Uva Ursi for Animals	12/case	
VAL01	Valerian for Animals	1 oz. Extract	
VAL12	Valerian for Animals	12/case	
VAL8	Valerian for Animals	8 oz. Extract	
VAL812	Valerian for Animals	12/case	
WOR01	Wormwood for Animals	1 oz. Extract	
WOR12	Wormwood for Animals	12/case	
WOR8	Wormwood for Animals	8 oz. Extract	
WOR812	Wormwood for Animals	12/case	
WORC01	Wormwood for Animals	250 mg capsules	75 "0" Capsules
WORC12	Wormwood for Animals		12/case
WORLB	Wormwood for Animals		1 pound
WORLB12	Wormwood for Animals		12/case
YAR01	Wound Aid for Animals	Yarrow powder	1 oz. Powder
YAR12	Wound Aid for Animals		12/case
YARLB	Wound Aid for Animals		1 Pound Powder
WB301	Wound Balm for Animals	Burdock, Yarrow and Echinacea	3.5 oz. Salve
WB312	Wound Balm for Animals		12/case - 3.5 oz.
WB801	Wound Balm for Animals		8 oz. Salve
WB812	Wound Balm for Animals		12/case - 8 oz.
WW06	Wound Wash for Animals	Aloe vera and Tea tree oil	6 oz. Liquid
WW12	Wound Wash for Animals		12/case
WWGAL	Wound Wash for Animals		1 gallon

## Neoplasm Salve



Buck Mountain Neoplasene is used topically on lesions, viral tissue and as an antibiotic. Neoplasene penetrates the cell membrane and causes apoptosis. Neoplasene is used orally as adjunct care after debulking. NeoplaseneX is injected directly into lesions and it is also infused into the bladder, udder, nares, etc. to treat lesions. It is also attractive for ailing or aging animals where anesthesia is to be avoided and for tumors that are located in areas that are difficult to surgically remove.

## Parasite Dust for Animals



Non-mutagenic and non-toxic to warm blooded animals, fish and birds. Parasite Dust for Animals disables then kills flies, fleas, ticks, lice, mites, spiders, ants, moths, centipedes, beetles, and more.

## Hepatic and Renal Health



Liver Health for Animals is 100% USDA certified organic Milk Thistle seed. It is the best hepatoprotection available to veterinarians. Use it in conjunction with an otherwise too harsh treatment protocol.

## Wound Balm for Animals



Buck Mountain Wound Balm for Animals contains burdock root and yarrow herb in an olive oil and beeswax base. The balm is one of our very popular products due to its efficacy and broad application. It has anti-fungal, anti-viral and anti-bacterial properties.

**To place an order call:  
Buck Mountain Botanicals at 406-232-1185  
or fax 406-232-4491**



**BUCK MOUNTAIN BOTANICALS, INC**

**HC 30**

**Miles City, MT 59301**

**PHONE 406-232-1185**

**FAX 406-232-4491**

**[buckmountainherbs@hotmail.com](mailto:buckmountainherbs@hotmail.com)**

**WEBSITE: [BuckMountainBotanicals.net](http://BuckMountainBotanicals.net)**